

valve chamber so that it is moving with appreciable velocity by the time its lower edge passes out of the combustion chamber opening. At this time the cylinder gases begin passing around the piston head and continue to do so until the upper edge of the head passes into the smaller-diameter upper portion of the valve chamber. The flange then causes the piston head to seat at this point, completely closing the valve. If bouncing occurs, it will not cause the valve to reopen.

While the piston is rising, the connection to the vacuum pump is kept closed so that all the combustion gases pass into the sample container. Meanwhile, an extension of the piston shaft progressively cuts off the passage of light from a flashlight bulb to a small IP42 photoelectric cell. Thus, when the output of the phototube is differentiated, a square wave indicating the time of opening and closing of the valve is obtained on the screen of an oscilloscope used to present pressure changes within the cylinder. Any bouncing or

reopening that might occur would also be made visually evident in this way.

In general, the duration of valve opening and the total mass of gas admitted are dependent upon cylinder pressure at the time of the valve opening. Thus, for example, if the pressure is 80 lb/in², about 1 milliliter of gas (reduced to standard temperature and pressure) will flow in 0.2 millisecond, while at 500 lb/in² the flow is approximately 4 milliliters in 0.1 millisecond. This decrease in the duration of sampling with increasing pressure is advantageous inasmuch as the reactions studied occur more rapidly at the higher densities.

For further technical details, see Instrumentation for detonation research, by William J. Levedahl, *Inst. Soc. Am. Paper No. 52-27-3*. See also An apparatus for studying autoignition of engine fuels: results with normal heptane and normal hexane, by William J. Levedahl and Frank L. Howard, *J. Research NBS* **46**, 301 (1951) RP2200.

Publications of the National Bureau of Standards

PERIODICALS

Journal of Research of the National Bureau of Standards, volume **49**, number 5, November 1952 (RP2365 to RP2371, incl.). Annual subscription, \$5.50.

Technical News Bulletin, volume **36**, number 11, November 1952, 10 cents. Annual subscription, \$1.00.

CRPL-D99. Basic Radio Propagation Predictions for February 1953. Three months in advance. Issued November 1952. 10 cents. Annual subscription, \$1.00.

RESEARCH PAPERS

RP2358. Mass spectra of the tetramethyl compounds of carbon, silicon, germanium, tin, and lead. Vernon H. Dibeler. 10 cents.

RP2359. Determination of planeness and bending of optical flats. Walter B. Emerson. 10 cents.

RP2360. Index of refraction of magnesium oxide. Robert E. Stephens and Irving H. Malitson. 5 cents.

RP2361. Refractivity of potassium bromide for visible wavelengths. Robert J. Spindler and William S. Rodney. 10 cents.

RP2362. On approximate solutions of systems of linear inequalities. Alan J. Hoffman. 5 cents.

RP2363. Deuterium and hydrogen electrode characteristics of lithia-silica glasses. Donald Hubbard and Given W. Cleek. 10 cents.

RP2364. Calorimetric properties of polytetrafluoroethylene (Teflon) from 0° to 365°. George T. Furukawa, Robert E. McCoskey, and Gerard J. King. 10 cents.

CIRCULARS

C506. Automotive antifreezes. (Supersedes Circular 474.) 15 cents.

C519. Low-temperature physics. Proceedings of the NBS Semicentennial Symposium on Low-Temperature Physics. \$1.75.

MISCELLANEOUS

M205. Hydraulic research in the United States. Helen K. Middleton and Sonya W. Matchett. \$1.00.

PUBLICATIONS IN OTHER JOURNALS

Pairs of matrices with property. T. S. Motzkin and Olga Taussky. *Trans. Am. Math. Soc.* (531 West 116th Street, New York, N.Y.) **73**, No. 1, 108 (July 1952).

A method for the determination of converging factors, applied to the asymptotic expansions for the parabolic cylinder functions. J. C. P. Miller. *Proc. Cambridge Phil. Soc.* (Cambridge Univ. Press, Bentley House, 200 Euston Rd., London N.W. 1, England) **48**, Part 2, 243 (1952).

Abrasion resistance measurements on cotton fabrics made with the blade type abradant and the Schiefer abrasion testing machine. Herbert F. Schiefer. *Proc. 1952 Spring Meeting, Textile Quality Control Assoc.* (Prof. D. S. Hamby, School of Textiles, N. C. State College, Raleigh, N. C.) p. 65 (April 1952).

Ueber den Einfluss der Gewebekonstruktion auf den Scheuerwiderstand. Herbert F. Schiefer and Carl W. Wernitz. *Textil-Praxis* (Stuttgart, Germany) **57**, 1 (1952).

Polyhedral flames with hydrogen and hydrocarbons. Herbert Broida and Walter Kane. *J. Chem. Phys.* (57 East Fifty-fifth Street, New York 22, N. Y.) **20**, No. 6, 1042 (June 1952).

Materiales para pisos. P. A. Sigler and T. H. Boone. *Ingenieria Internacional Construcción* (McGraw-Hill International Corp., 1309 Noble Street, Philadelphia, Pa.) **40**, No. 7, 50 (July 1952).

High-power square-pulse generator. W. E. Williams, Jr. *Electronics* (330 West Forty-second Street, New York 18, N. Y.) **25**, No. 10, 144 (October 1952).

Interpretation of high-frequency cw field-intensity records with the aid of simultaneous pulse data. R. Silberstein. *Proc. IRE* (1 East Seventy-ninth Street, New York 21, N. Y.) **40**, No. 8, 974 (August 1952).

Index to Technical News Bulletin Volume 36, 1952

A	Page
Absolute viscosity of water at 20° C (Jan.)	3
Absorption of carbon prevented by ceramic coatings (Oct.)	151
Acidity and basicity in organic solvents (Nov.)	168
Acrylic aircraft glazing, improvement by stretchforming (Aug.)	117
Adherence, porcelain-enamel, radioisotope study (May)	74
Aging of lime putties (Sept.)	139
Aircraft glazing, acrylic, improvement by stretchforming (Aug.)	117
Aircraft searchlight, naval, focusing (Nov.)	166
Airport approach lights, Kinorama for evaluating (Dec.)	184
Alloys, lead-tin, rapid determination of bismuth in (Apr.)	63
Aluminum-plating process (June)	86
Amalgam, dental, mechanical packing (Nov.)	165
Amplitude oscillator, constant (Nov.)	172
AN-5 casting resin (Sept.)	129
AN-5 casting resin, polymerization promoters (Nov.)	164

valve chamber so that it is moving with appreciable velocity by the time its lower edge passes out of the combustion chamber opening. At this time the cylinder gases begin passing around the piston head and continue to do so until the upper edge of the head passes into the smaller-diameter upper portion of the valve chamber. The flange then causes the piston head to seat at this point, completely closing the valve. If bouncing occurs, it will not cause the valve to reopen.

While the piston is rising, the connection to the vacuum pump is kept closed so that all the combustion gases pass into the sample container. Meanwhile, an extension of the piston shaft progressively cuts off the passage of light from a flashlight bulb to a small IP42 photoelectric cell. Thus, when the output of the phototube is differentiated, a square wave indicating the time of opening and closing of the valve is obtained on the screen of an oscilloscope used to present pressure changes within the cylinder. Any bouncing or

reopening that might occur would also be made visually evident in this way.

In general, the duration of valve opening and the total mass of gas admitted are dependent upon cylinder pressure at the time of the valve opening. Thus, for example, if the pressure is 80 lb/in², about 1 milliliter of gas (reduced to standard temperature and pressure) will flow in 0.2 millisecond, while at 500 lb/in² the flow is approximately 4 milliliters in 0.1 millisecond. This decrease in the duration of sampling with increasing pressure is advantageous inasmuch as the reactions studied occur more rapidly at the higher densities.

For further technical details, see Instrumentation for detonation research, by William J. Levedahl, *Inst. Soc. Am. Paper No. 52-27-3*. See also An apparatus for studying autoignition of engine fuels: results with normal heptane and normal hexane, by William J. Levedahl and Frank L. Howard, *J. Research NBS* **46**, 301 (1951) RP2200.

Publications of the National Bureau of Standards

PERIODICALS

Journal of Research of the National Bureau of Standards, volume **49**, number 5, November 1952 (RP2365 to RP2371, incl.). Annual subscription, \$5.50.

Technical News Bulletin, volume **36**, number 11, November 1952, 10 cents. Annual subscription, \$1.00.

CRPL-D99. Basic Radio Propagation Predictions for February 1953. Three months in advance. Issued November 1952. 10 cents. Annual subscription, \$1.00.

RESEARCH PAPERS

RP2358. Mass spectra of the tetramethyl compounds of carbon, silicon, germanium, tin, and lead. Vernon H. Dibeler. 10 cents.

RP2359. Determination of planeness and bending of optical flats. Walter B. Emerson. 10 cents.

RP2360. Index of refraction of magnesium oxide. Robert E. Stephens and Irving H. Malitson. 5 cents.

RP2361. Refractivity of potassium bromide for visible wavelengths. Robert J. Spindler and William S. Rodney. 10 cents.

RP2362. On approximate solutions of systems of linear inequalities. Alan J. Hoffman. 5 cents.

RP2363. Deuterium and hydrogen electrode characteristics of lithia-silica glasses. Donald Hubbard and Given W. Cleek. 10 cents.

RP2364. Calorimetric properties of polytetrafluoroethylene (Teflon) from 0° to 365°. George T. Furukawa, Robert E. McCoskey, and Gerard J. King. 10 cents.

CIRCULARS

C506. Automotive antifreezes. (Supersedes Circular 474.) 15 cents.

C519. Low-temperature physics. Proceedings of the NBS Semicentennial Symposium on Low-Temperature Physics. \$1.75.

MISCELLANEOUS

M205. Hydraulic research in the United States. Helen K. Middleton and Sonya W. Matchett. \$1.00.

PUBLICATIONS IN OTHER JOURNALS

Pairs of matrices with property. T. S. Motzkin and Olga Taussky. *Trans. Am. Math. Soc.* (531 West 116th Street, New York, N.Y.) **73**, No. 1, 108 (July 1952).

A method for the determination of converging factors, applied to the asymptotic expansions for the parabolic cylinder functions. J. C. P. Miller. *Proc. Cambridge Phil. Soc.* (Cambridge Univ. Press, Bentley House, 200 Euston Rd., London N.W. 1, England) **48**, Part 2, 243 (1952).

Abrasion resistance measurements on cotton fabrics made with the blade type abradant and the Schiefer abrasion testing machine. Herbert F. Schiefer. *Proc. 1952 Spring Meeting, Textile Quality Control Assoc.* (Prof. D. S. Hamby, School of Textiles, N. C. State College, Raleigh, N. C.) p. 65 (April 1952).

Ueber den Einfluss der Gewebekonstruktion auf den Scheuerwiderstand. Herbert F. Schiefer and Carl W. Wernitz. *Textil-Praxis* (Stuttgart, Germany) **57**, 1 (1952).

Polyhedral flames with hydrogen and hydrocarbons. Herbert Broida and Walter Kane. *J. Chem. Phys.* (57 East Fifty-fifth Street, New York 22, N. Y.) **20**, No. 6, 1042 (June 1952).

Materiales para pisos. P. A. Sigler and T. H. Boone. *Ingenieria Internacional Construcción* (McGraw-Hill International Corp., 1309 Noble Street, Philadelphia, Pa.) **40**, No. 7, 50 (July 1952).

High-power square-pulse generator. W. E. Williams, Jr. *Electronics* (330 West Forty-second Street, New York 18, N. Y.) **25**, No. 10, 144 (October 1952).

Interpretation of high-frequency cw field-intensity records with the aid of simultaneous pulse data. R. Silberstein. *Proc. IRE* (1 East Seventy-ninth Street, New York 21, N. Y.) **40**, No. 8, 974 (August 1952).

Index to Technical News Bulletin Volume 36, 1952

A	Page
Absolute viscosity of water at 20° C (Jan.)	3
Absorption of carbon prevented by ceramic coatings (Oct.)	151
Acidity and basicity in organic solvents (Nov.)	168
Acrylic aircraft glazing, improvement by stretchforming (Aug.)	117
Adherence, porcelain-enamel, radioisotope study (May)	74
Aging of lime putties (Sept.)	139
Aircraft glazing, acrylic, improvement by stretchforming (Aug.)	117
Aircraft searchlight, naval, focusing (Nov.)	166
Airport approach lights, Kinorama for evaluating (Dec.)	184
Alloys, lead-tin, rapid determination of bismuth in (Apr.)	63
Aluminum-plating process (June)	86
Amalgam, dental, mechanical packing (Nov.)	165
Amplitude oscillator, constant (Nov.)	172
AN-5 casting resin (Sept.)	129
AN-5 casting resin, polymerization promoters (Nov.)	164

	Page
Animal fibers, pigmentation in (June).....	94
Anodize: A discrete-digit voltage-indicating device (May).....	70
Attenuation, transmission-line, measurement (Sept.).....	133
Audio-frequency tests, transfer standards (Mar.).....	42
Audio measurements, current transformers for (Jan.).....	11
Austenitic stainless steel, solubility of carbon in (Nov.).....	171
Automatic weather station, free-floating (Mar.).....	36

B

Basicity and acidity in organic solvents (Nov.).....	168
Bench, electron-optical (Aug.).....	125
Bearings, plain journal, oil flow (Apr.).....	60
Bismuth in lead-tin alloys, rapid determination (Apr.).....	63
Blind, talking books for (Sept.).....	136
Bone char, proceedings second technical session (July).....	112
Books, talking, for the blind (Sept.).....	136
Boulder laboratory (Dec.).....	180
Boxes, core, versatile (Sept.).....	135
Building materials, sheet-metal, weathering (May).....	72

C

Calibration of high-frequency magnetic material (Oct.).....	158
Calibrator, NBS telemetering-in-light (Jan.).....	5
Calorimetry conference, seventh annual (Dec.).....	188
Capacity of plumbing stacks (Oct.).....	156
Carbon absorption, ceramic coatings prevent (Oct.).....	151
Carbon, solubility in austenitic stainless steel (Nov.).....	171
Card catalog of infrared spectra (Sept.).....	142
Cast iron, ductile (Apr.).....	49
Casting resin, AN-S (Sept.).....	129
Casting resin, AN-S, polymerization promoters (Nov.).....	164
Catalog, card, infrared spectra (Sept.).....	142
Cathodic protection of steel underground (Jan.).....	1
Cavity-wall masonry construction, insulating effect (Feb.).....	151
Ceramic coatings prevent carbon absorption (Oct.).....	151
Characterizing clays and soils; criteria for (Aug.).....	115
Chemical tests of paper, effect of melamine resin (Apr.).....	58
Chromium-and-glass high-temperature coatings for molybdenum (Sept.).....	140
Clays and soils, criteria for characterizing (Aug.).....	115
Cleaning, effects on paints used as water-vapor barriers (May).....	68
Clutch, "loudspeaker" (Nov.).....	161
Clutch, magnetic fluid, response time (Feb.).....	22
Coatings for molybdenum, chromium-and-glass high temperature (Sept.).....	140
Coatings, ceramic, prevent carbon absorption (Oct.).....	151
Coaxial Stark cell for microwave spectroscopy (Oct.).....	156
Color in business, science, and industry (Dec.).....	179
Columns, concrete-protected steel, fire tests (Apr.).....	63
Communications, UHF, lunar reflection (Mar.).....	35
Components symposium, electronic (Aug.).....	127
Concrete-protected steel columns, fire tests (Apr.).....	63
Conference on high frequency measurements, third (Dec.).....	183
Conference on weights and measures, thirty-seventh national (Sept.).....	143
Conference, seventh annual calorimetry (Dec.).....	188
Constant-amplitude oscillator (Nov.).....	172
Constant-level device for liquids (July).....	97
Copper, creep of cold-drawn high-purity (June).....	10
Copper in iron and steel, rapid determination (June).....	81
Core boxes, versatile (Sept.).....	135
Corrosion, stress, film-rupture mechanism (Apr.).....	54
Coverings, printed-enamel felt-base floor (June).....	84
Creep of cold-drawn high-purity copper (Jan.).....	10
Criteria for characterizing clays and soils (Aug.).....	115
Crucible graphite, new study (Nov.).....	163
Crystal-growing technique (July).....	103
Current transformers for audio measurements (Jan.).....	11

D

Decay constant in vibrating systems (Dec.).....	186
Defect-producing hydrogen in porcelain-enamelled steel, source (Feb.).....	24
Dental amalgam, mechanical packing (Nov.).....	165
Design, X-ray protection (Oct.).....	152
Designs in radioactivity, statistical (May).....	77
Device, constant-level, for liquids (July).....	97
Digit voltage-indicating device, discrete, anodize (May).....	70
Director appointed (Dr. A. V. Astin) (July).....	111
Dispenser, liquid-nitrogen, automatic (Feb.).....	18
Disturbance warnings, new radio propagation (June).....	95
Ductile cast iron (Apr.).....	49

E

Effect of strain-temperature history on the low-temperature properties of ingot iron (Aug.).....	116
Electrical measurements (May).....	79
Electricity, static hazards (June).....	82
Electrodeposited nickel, properties (Nov.).....	174
Electron-optical bench (Aug.).....	125
Electronic components symposium (Aug.).....	127
Electronic failures, prediction (Dec.).....	177
Electronic peak-reading kilovoltmeter (Apr.).....	52
Electronic sensing of mercury-column height (Feb.).....	26
Electrostatic information storage, symposium (Mar.).....	47
Enamel adherence, porcelain, radioisotope study (May).....	74
Equipment for resistor load-life tests, automatic (May).....	67
Escalator shutters, fire tests (June).....	93

F

	Page
Failures, electronic, prediction (Dec.).....	177
Felt-base floor coverings, printed-enamel (June).....	84
Fibers, pigmentation in animal (June).....	94
Film reader for telemetered information (Apr.).....	50
Film-rupture mechanism of stress corrosion (Apr.).....	54
Fire tests of escalator shutters (June).....	93
Fire tests of concrete-protected steel columns (Apr.).....	63
Floor coverings, printed-enamel felt-base (June).....	84
Floor coverings, resistance to grease, oils, and selected reagents (Feb.).....	27
Flow, oil, plain journal bearings (Apr.).....	60
Fluid clutch, magnetic, response time (Feb.).....	22
Fluorescence of teeth reveals structure (July).....	98
Focusing of naval aircraft searchlights (Nov.).....	166
Free-floating automatic weather station (Mar.).....	36
Frequencies, very high, new kind of propagation (Oct.).....	148

G

Gage, limit-load (Sept.).....	131
Gamma-rays, penetration (Apr.).....	61
Gas sampler, rapid (Dec.).....	189
Generator, pulse, high-voltage high-current (Dec.).....	181
Glazing, acrylic aircraft, improvement by stretch forming (Aug.).....	117
Graphite, crucible, new study (Nov.).....	163
Grease, oils, and selected reagents, resistance of floor coverings (Feb.).....	27

H

Hazards from static electricity (June).....	82
Helium II, liquid, thermal Rayleigh disk (Mar.).....	40
High-current, high-voltage pulse generator (Dec.).....	181
High frequencies (VHF), new kind of propagation (Oct.).....	148
High-frequency calibration of magnetic materials (Oct.).....	158
High-frequency measurements, third conference (Dec.).....	183
High-temperature coatings, chromium-and-glass, for molybdenum (Sept.).....	140
High-voltage high-current pulse generator (Dec.).....	181
Hydrogen, defect-producing, in porcelain-enamelled steel, source (Feb.).....	24

I

Improvement of acrylic aircraft glazing by stretchforming (Aug.).....	117
Information storage, electrostatic, symposium (Mar.).....	47
Information, telemetered, film reader (Apr.).....	50
Infrared spectra, card catalog (Sept.).....	142
Ingot iron, effect of strain-temperature history on low-temperature properties (Aug.).....	116
Instrument cable, noise-free (Mar.).....	37
Instrument, simplified radioactivity survey (Jan.).....	3
Insulating effect of cavity-wall masonry construction (Feb.).....	20
Iron, cast ductile (Apr.).....	49
Iron and steel, rapid determination of copper (June).....	81
Isotopic method determines water content (Oct.).....	145

J, K

Journal bearings, plain, oil flow (Apr.).....	60
Kilovoltmeter, peak-reading, electronic (Apr.).....	52
Kinorama, for evaluating airport approach lights (Dec.).....	184

L

Lead-tin alloys, rapid determination of bismuth (Apr.).....	63
Leather, split, strength (July).....	100
Lights, airport approach, Kinorama for evaluating (Dec.).....	184
Lime putties, aging (Sept.).....	139
Limit-load gage (Sept.).....	131
Liquid helium II, thermal Rayleigh disk (Mar.).....	40
Liquid-nitrogen dispenser, automatic (Feb.).....	18
Liquids, constant-level device (July).....	97
Load-life tests, resistor, automatic equipment (May).....	67
Loran navigation tables (Feb.).....	19
Loudspeaker clutch (Nov.).....	161
Low-temperature brittleness of steel, effect of nitrogen content (Mar.).....	46
Low-temperature properties of ingot iron, effect of strain-temperature history (Aug.).....	116
Lunar reflection of UHF communications (Mar.).....	35

M

Magnetic fluid clutch, response time (Feb.).....	22
Magnetic material, high-frequency calibration (Oct.).....	158
Masonry construction, cavity-wall, insulating effect (Feb.).....	20
Materials, sheet-metal building, weathering (May).....	72
Measurements, electrical (May).....	79
Measurements, high-frequency, third conference (Dec.).....	183
Mechanical packing of dental amalgam (Nov.).....	165
Melamine resin, effect on chemical tests of paper (Apr.).....	58
Mercury-column height, electronic sensing (Feb.).....	26
Micromanipulator (Sept.).....	141
Microwave spectra tables, molecular (Mar.).....	44
Microwave spectroscopy, coaxial Stark cell (Oct.).....	150
Microwaves, suppression by zonal screens (Jan.).....	6
Miniature test probes (Aug.).....	124
Moisture and zone, effect on cotton textiles (June).....	92
Molecular microwave spectra tables (Mar.).....	44
Molybdenum, chromium-and-glass high-temperature coatings (Sept.).....	140

N	Page
Naval aircraft searchlights, focusing (Nov.)	166
Navigation tables, Loran (Feb.)	19
NBS director appointed (July)	111
Nickel, electrodeposited, properties (Nov.)	174
Nickel, tensile properties (Oct.)	147
Nitrogen content and low-temperature brittleness of steel (Mar.)	46
Noise bursts, solar radio (May)	67
Noise-free instrument cable (Mar.)	35
North Pacific radio warning service (Mar.)	33
O	
Oil flow in plain journal bearings (Apr.)	69
Oil, grease, and selected reagents, resistance of floor coverings (Feb.)	27
Optical bench, electron- (Aug.)	125
Organic solvents, acidity and basicity in (Nov.)	168
Oscillator, constant-amplitude (Nov.)	171
Ozone and moisture, effect on cotton textiles (June)	92
P	
Pacific radio warning service (Mar.)	33
Packing of dental amalgam, mechanical (Nov.)	165
Paints used as water-vapor barriers, effect of cleaning (May)	68
Paper, effect of melamine resin on chemical tests (Apr.)	58
Peak-reading kilovoltmeter, electronic (Apr.)	52
Penetration of gamma rays (Apr.)	61
Performance studies of tires (June)	98
Pigmentation in animal fibers (June)	94
Plain journal bearings, oil flow (Apr.)	60
Plating, aluminum, new process (June)	86
Plumbing stacks, capacity (Oct.)	156
Polymerization promoters for AN-5 casting resin (Nov.)	164
Porcelain-enamel adherence, radioisotope study (May)	74
Porcelain-enamelled steel, source of defect-producing hydrogen (Feb.)	24
Position-labeled radioactive sugars (Apr.)	56
Pre-cured tape resistor (July)	110
Prediction of electronic failures (Dec.)	177
Printed-enamel felt-base floor coverings (June)	121
Probes, miniature test (Aug.)	123
Proceedings, second technical session on bone char (July)	112
Promoters, polymerization, for AN-5 casting resin (Nov.)	164
Propagation, new theory on VHF radio wave (Feb.)	17
Propagation at very high frequencies, new kind (Oct.)	148
Propagation disturbance warnings, new radio (June)	95
Propagation research, tropospheric (Aug.)	120
Properties of electrodeposited nickel (Nov.)	174
Properties of ingot iron at low temperatures, effect of strain-temperature history (Aug.)	116
Properties of nickel, tensile (Oct.)	147
Protection design, X-ray (Oct.)	152
Protection of steel underground, cathodic (Jan.)	1
Pulse generator, high-voltage high-current (Dec.)	181
Pulse transformer gives faster response (May)	78
Purification of zirconium (Aug.)	127
Putties, lime, aging (Sept.)	139
R	
Radio noise bursts, solar (May)	65
Radio propagation disturbance warnings, new (June)	95
Radio warning service, North Pacific (Mar.)	33
Radio wave propagation, VHF, new theory (Feb.)	17
Radioactivity, statistical designs (May)	77
Radioactive sugars, position-labeled (Apr.)	56
Radioactivity survey instruments, simplified (Jan.)	3
Radioisotope study of porcelain-enamel adherence (May)	74
Rayleigh disk in liquid helium II, thermal (Mar.)	40
Reagents, resistance of floor coverings to grease, oils and selected reagents (Feb.)	27
Rectifiers, titanium dioxide (Aug.)	113
Research, tropospheric propagation (Aug.)	120
Resin, casting, AN-5 (Sept.)	129
Resin, casting, AN-5, polymerization promoters (Nov.)	164
Resin, melamine, effect on chemical tests of paper (Apr.)	58
Resistance of floor coverings to grease, oils and selected reagents (Feb.)	27
Resistor load-life tests, automatic equipment (May)	67
Resistor, pre-cured tape (July)	110
Resolving-power test chart, new (Jan.)	8
Response time of the NBS magnetic fluid clutch (Feb.)	22
Rheology of concentrated rubber solutions (July)	101
Rubber solutions, rheology of concentrated (July)	101
S	
Sampler, gas, rapid (Dec.)	189
Searchlights, focusing of naval aircraft (Nov.)	166
Second technical session on bone char, proceedings (July)	112
Sensing of mercury-column height, electronic (Feb.)	26
Session on bone char, proceedings, second technical (July)	112
Seventh annual calorimetry conference (Dec.)	188
Sheet-metal building materials, weathering (May)	72

Page	
3	Simplified radioactivity survey instrument (Jan.)
115	Soils and clays, criteria for characterizing (Aug.)
65	Solar radio noise bursts (May)
171	Solubility of carbon in austenitic stainless steel (Nov.)
101	Solutions, rheology of concentrated rubber (July)
168	Solvents, organic, acidity and basicity (Nov.)
21	Source of defect-producing hydrogen in porcelain-enamelled steel (Feb.)
112	Spectra, infrared, card catalog (Sept.)
41	Spectra tables, molecular microwave (Mar.)
150	Spectroscopy, microwave, coaxial Stark cell (Oct.)
100	Split leather, strength (July)
76	Spring balance, tungsten, for vacuum weighing (May)
150	Stacks, plumbing, capacity (Oct.)
171	Stainless steel, authentic, solubility of carbon (Nov.)
42	Standards for audio-frequency tests, transfer (Mar.)
150	Standards of temperature (July)
22	Stark cell for microwave spectroscopy, coaxial (Oct.)
77	Static electricity, hazards (June)
63	Statistical designs in radioactivity (May)
46	Steel columns, concrete-protected, fire tests (Apr.)
81	Steel, nitrogen content and low-temperature brittleness (Mar.)
171	Steel, rapid determination of copper in iron and (June)
21	Steel, solubility of carbon in austenitic stainless (Nov.)
1	Steel, porcelain-enamelled, source of defect-producing hydrogen (Feb.)
182	Steel underground, cathodic protection (Jan.)
116	Strain-temperature history, effect on the low-temperature properties of ingot iron (Aug.)
100	Strength of split leather (July)
54	Stress corrosion, film-rupture mechanism (Apr.)
98	Structure of teeth revealed by fluorescence (July)
117	Stretchforming, improvement of acrylic aircraft glazing (Aug.)
56	Sugars, radioactive, position-labeled (Apr.)
6	Suppression of microwaves by zonal screens (Jan.)
3	Survey instrument, simplified radioactivity (Jan.)
127	Symposium, electronic components (Aug.)
47	Symposium on electrostatic information storage (Mar.)
T	
44	Tables, molecular microwave spectra (Mar.)
136	Talking books for the blind (Sept.)
110	Tape resistor, pre-cured (July)
98	Teeth fluorescence reveals structure (July)
50	Telemetered information, film reader (Apr.)
5	Telemetering-in-flight calibrator (Jan.)
104	Temperature standards (July)
117	Tensile properties of nickel (Oct.)
8	Test chart, new resolving-power (Jan.)
124	Test probes, miniature (Aug.)
92	Textiles, cotton, effect of moisture and ozone (June)
17	Theory on VHF radio wave propagation, new (Feb.)
40	Thermal Rayleigh disk in liquid helium II (Mar.)
183	Third conference on high-frequency measurements (Dec.)
143	Thirty-Seventh National Conference on Weights and Measures (Sept.)
22	Time response, magnetic fluid clutch (Feb.)
88	Time performance, studies (June)
113	Titanium dioxide rectifiers (Aug.)
42	Transfer standards for audio-frequency tests (Mar.)
78	Transformer, pulse, gives faster response (May)
11	Transformers, current, for audio measurements (Jan.)
133	Transmission-line attenuation, measurement (Sept.)
120	Tropospheric propagation research (Aug.)
76	Tungsten spring balance for vacuum weighing (May)
U, V	
35	UHF communications, Lunar reflection (Mar.)
1	Underground protection (cathodic) of steel (Jan.)
76	Vacuum weighing, tungsten spring balance (May)
118	Very high frequencies, new kind of propagation (Oct.)
17	VHF radio wave propagation, new theory (Feb.)
186	Vibrating systems, decay constant (Dec.)
3	Viscosity of water at 20° C, absolute (Jan.)
70	Voltage-indicating device, anodize, discrete-digit (May)
W	
33	Warning service, North Pacific radio (Mar.)
95	Warnings, new radio propagation disturbance (June)
3	Water, absolute viscosity at 20° C (Jan.)
145	Water content, isotopic method determines (Oct.)
68	Water vapor barriers, effect of cleaning on paints used as (May)
36	Weather station, free-floating automatic (Mar.)
72	Weathering of sheet-metal building materials (May)
76	Weighing, vacuum, tungsten spring balance (May)
143	Weights and measures conference, thirty-seventh national (Sept.)
X, Z	
152	X-ray protection design (Oct.)
127	Zirconium, purification (Aug.)
6	Zonal screens, suppression of microwaves (Jan.)

